





Vapour permeable / air barrier low resistance roofing underlay and breather membrane for walling

- Excellent resistance to water penetration
- Excellent water vapour transmission properties
- Conseal Integral Tape for sealing horizontal laps, reducing air infiltration and convective heat loss

• Single Integral Tape allows ease of use with pressure sensitive adhesive giving excellent adhesion and quick stick

Don & Low Ltd

• Fabric weight: 112g/m²

dentification	Product Roof TX* Ultra Conseal	Manufacturer Don & Low Limited	T
NS112			
Batten gauge	Declared wind uplift resistance, (taped overlaps) PD (Pa)	Zone suitability	
≤345mm	>1,600	1 to 5	
250mm	>1,600	1 to 5	
100mm	>1,600	1 to 5	\rfloor
	,,,,,		

NOTE 1: In the table above, green indicates that the zone is suitable and light grey indicates that

NOTE 2: Zone suitability applies only for underlays in applications where a well-sealed ceiling is present, ridge height is not greater than 15m, roof pitch is between 12.5° and 70°, site altitude is not greater than 100m, and no significant site topography is present. Other applications might require underlays with greater wind uplift resistance and it is advisable to seek professional advice.

NOTE 4: Taping of overlaps should be undertaken in accordance with the instructions on roll insert.



















Code: 959

Issue 01 Dec 2017